ST. CROIX COUNTY

The information presented here represents data specific to St roix ounty Wisconsin from and is meant to complement the report *The Burden of Suicide in Wisconsin* Please refer to this report for technical notes and suicide prevention strategies or counties with fewer than suicides each year data are aggregated for and findings are presented in bullets rather than tables

Y N N S

! The suicide rate in St roix ounty for all years was lower than the state rate for all years versus

- ! Suicide represented a total of years of potential life lost at a rate of for This was less than the state rate YP for the same time period
- ! The greatest number of suicides occurred in individuals aged emergency department visits occurred in younger individuals aged This finding is the same at the state level
- ! The cost of inpatient hospitalizations and emergency department visits due to self inflicted injury was over in alone
- ! irearms were the most frequently used method in St roix ounty suicides followed by hanging strangulation or suffocation and poisoning

Numbers and rates per population of suicides inpatient hospitalizations and emergency department visits due to self inflicted injuries by age St roix ounty

| | eaths | | npatient ospitalizations | | mergency epartment Visit | |
|---------|--------|-------|--------------------------|-------|--------------------------|-------|
| ge roup | Number | Rate! | Number | Rate! | Number | Rate! |
| | | | | ! | | ļ |
| | | ļ | | | | |
| | | ļ | | ļ | | |
| | | ļ | | ļ | | |
| | | ! | | ļ | | ļ |
| | | ļ | | ļ | | ļ |
| | | ļ | | | | ļ |
| | | | | | | ļ |
| | | ļ | | | | |
| Total | | 8 | 8 | | 7 | 69 |

*Emergency department data are not available for 2001.

Rates based on numbers of 20 or less are considered unstable due to random chance and should be interpreted with caution.